



11601 Iron Bridge Rd|Suite 101|Chester, VA 23831
P: 844-812-7415|F:804-977-6630
Email:ClientServices@nextmolecular.com
CLIA: 498D2104154

Name: Wylie J Coyote

Date of Birth: 01/01/18 Sex: |M
NEXT Bio Accession #: ASN20-01800
Sample Identifier: 123456789
Collection Date: 04/28/20
Received Date: 04/29/20
Assayed Date: 04/29/20
Reported Date: 04/29/20

Physician Information

Organization: _____ Phone _____
Physician/Contact Name: _____ Fax: _____
Address _____ Email: _____

Clinical History

Provided ICD-10 Codes: _____
Specimen Source: Serum

Asparaginase Activity Assay Results

The asparaginase activity in the sample is:* 1.285 IU/mL
* the lower limit of quantitation is 0.013 IU/mL

Methodology

The test was run using a mentof for quantitation of L-asparaginase enzyme activity in clinical samples. The expected reference interval is 0 IU/mL. This test was developed and its performance characteristics determined by NEXT Bio Research Services, LLC. It has not been cleared or approved by the US Food and Drug Administration

Test Performed at NEXT Bio Research Services , LLC

Comments

N/A

Reviewed By: Robert B Harris, Ph.D.

Review Date: _____

